SIEMENS



Always know what's going on with WinCC/WebUX – wherever you are

Also in the world of automation, the trend towards increased flexibility is omnipresent. Software solutions which facilitate the monitoring and operation of mobile terminal device processes are becoming ever more important in this sector. This is exactly what WinCC/WebUX by Siemens supports.

WinCC/WebUX enables you to monitor your plant processes via the Internet or Intranet by means of mobile terminal devices and to control them if required.

The software comprises an operating systemindependent visualization solution which is suitable for HTML5- and SVG-capable browsers – and does not entail any engineering expenditures.

Highlights at a glance

- Simple and efficient through integration in WinCC
- Scalable clients for demand-based operation and monitoring
- Innovative and **web-based** for location-independent information
- Open and secure on the basis of web standards
- Targeted information for every user group

Mobile remote access to the production process



More efficient and economic – the suitable information for your corpor



Management: 24/7 access to important production characteristics



Operations control: Production information such as messages, trends and characteristics at a glance

rate task at all t<u>imes</u>



Maintenance: Time and cost savings through online access to error messages; secure remote operation (message acknowledgement, target value specification, etc.)



Monitor as display panel:
Production characteristics for the staff

Selection and ordering data

Web browser- and platform-independent



WinCC/WebUX	Order No.	Order NoOSD
Monitor Client (read only)		
1 client	6AV6362-2AB00-0BB0	6AV6362-2AB00-0AH0
3 clients	6AV6362-2AD00-0BB0	6AV6362-2AD00-0AH0
10 clients	6AV6362-2AF00-0BB0	6AV6362-2AF00-0AH0
30 clients	6AV6362-2AJ00-0BB0	6AV6362-2AJ00-0AH0
100 clients	6AV6362-2AM00-0BB0	6AV6362-2AM00-0AH0
Operate Client (read/write)		
1 client	6AV6362-2BB00-0BB0	6AV6362-2BB00-0AH0
3 clients	6AV6362-2BD00-0BB0	6AV6362-2BD00-0AH0
10 clients	6AV6362-2BF00-0BB0	6AV6362-2BF00-0AH0
30 clients	6AV6362-2BJ00-0BB0	6AV6362-2BJ00-0AH0
100 clients	6AV6362-2BM00-0BB0	6AV6362-2BM00-0AH0

A WinCC/WebUX Monitor Client is included free of charge with the basic SIMATIC WinCC system as standard. The licensing packages are additive and can be combined with Web Navigator licenses.

Safety note:

When connecting an internal system to an external system, suitable protective measures have to be taken to ensure safe system operation (amongst others with regard to IT security, e.g. network segmentation). Further information is available at: siemens.com/industrialsecurity

The information provided in this brochure contains merely general descriptions or characteristics of performance which in case of actual use do not always apply as described or which may change as a result of further development of the products. An obligation to provide the respective characteristics shall only exist if expressly agreed in the terms of contract. All product designations may be trademarks or product names of Siemens AG or supplier companies whose use by third parties for their own purposes could violate the rights of the owners.

Siemens AG Digital Factory Factory Automation P.O. Box 4848 90026 NUREMBERG GERMANY Subject to change without prior notice 03/16
Article No.:
E20001-A810-P810-V2-7600
Dispo 06366
SB 0316 PDF
Printed in Germany
© Siemens AG 2016